

DAFTAR PUSTAKA

1. Amanzadeh B, Sokal-Gutierrez K, Barker JC. An interpretive study of food, snack and beverage advertisements in rural and urban El Salvador. BMC Public Health [Internet]. 30 Mei 2015 [dikutip 2 Juli 2018];15. Tersedia pada: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4449567/>
2. Hess JM, Jonnalagadda SS, Slavin JL. What is a snack, why do we snack, and how can we choose better snacks? a review of the definitions of snacking, motivations to snack, contributions to dietary intake, and recommendations for improvement. Adv Nutr. 1 Mei 2016;7(3):466–75.
3. Korab EH, Pietka MJ. Soft drink beverage. Encyclopedia Britannica. [Internet]. 2018 [dikutip 2 Juli 2018]. Tersedia pada: <https://www.britannica.com/topic/soft-drink>
4. Lysen KL, Israel DA. Chapter 22. Weight imbalance: overweight and obesity. In: Krause's food & the nutrition care process, Mahan LK, Stump SE, Raymond JL eds. Nutrition in Weight Management. 13th ed. United States of America: Saunders; 2011.
5. World Health Organization. Regional office for the western pacific. The Asia-Pacific perspective : redefining obesity and its treatment. Sydney: Health Communications Australia; 2000.
6. Weight H. Assessing your weight. CDC.[Internet]. 2015 [dikutip 2 Juli 2018]. Tersedia pada: <https://www.cdc.gov/healthyweight/assessing/index.html>
7. Dahl S, Linda K, Anker J, Finn T, Harald H, Sabro NP, dkk. Hospitalization for lifestyle related diseases in long haul drivers compared with other truck drivers and the working population at large. Work. 2009;(3):345–353.
8. Saberi HR, Moravveji AR, Fakharian E, kashani MM, Dehdashti AR. Prevalence of metabolic syndrome in bus and truck drivers in Kashan, Iran. Diabetol Metab Syndr. 19 Mei 2011;3:8.
9. BBTKLPP. Surveilans faktor risiko penyakit tidak menular pada supir bus AKAP di Jawa Barat, Banten, dan DKI Jakarta tahun 2013-2015. BBTKLPP [Internet] 2017.[dikutip 2 Juli 2018]. Tersedia pada: <https://bbtklppjakarta.org/surveilans-faktor-risiko-penyakit-tidak-menular->

pada-supir-bus-akap-di-jawa-barat-banten-dan-dki-jakarta-tahun-2013-2015/

10. Puhkala J, Kukkonen-Harjula K, Aittasalo M, Mansikkamäki K, Partinen M, Hublin C, dkk. Lifestyle counseling in overweight truck and bus drivers - effects on dietary patterns and physical activity. *Prev Med Rep.* 15 Agustus 2016;4:435–40.
11. British Nutrition Foundation. Healthy snacking. BNF[Internet]2018. [dikutip 6 November 2018]. Tersedia pada: <https://www.nutrition.org.uk/healthyliving/helpingyoueatwell/snacking.html?start=1>
12. Vartanian LR, Schwartz MB, Brownell KD. Effects of soft drink consumption on nutrition and health: A systematic review and meta-analysis. *Am J Public Health.* April 2007;97(4):667–75.
13. Perdana SM. Aktivitas fisik dan konsumsi energi minuman berkalori pada laki-laki dan perempuan gemuk dan tidak gemuk. 2011
14. Harvard University. How sweet is it?. Harvard University Press [Internet]. 2012 [dikutip 7 November 2018]. Tersedia pada: <https://www.hsph.harvard.edu/nutritionsource/healthy-drinks/sugary-drinks/how-sweet-is-it/>
15. Akhriani M, Fadhilah E, Nila Kurniasari F. Hubungan konsumsi minuman berpemanis dengan kejadian kegemukan pada remaja di SMP Negeri 1 Bandung. *Indones J Hum Nutr.* 30 Juni 2016;3(1):29–40.
16. Harvard University. Sugary drinks. Harvard T.H. Chan School of Public Health [Internet]. [dikutip 2 Juli 2018]. Tersedia pada: <https://www.hsph.harvard.edu/nutritionsource/healthy-drinks/sugary-drinks/>
17. Njike VY, Smith TM, Shuval O, Shuval K, Edshteyn I, Kalantari V, dkk. Snack food, satiety, and weight. *Adv Nutr.* 7 September 2016;7(5):866–78.
18. WHO. Obesity and overweight. WHO [Internet].2018 [dikutip 2 Juli 2018]. Tersedia pada: <http://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
19. Mansur A de P, Rocha MA, Leyton V, Takada JY, Avakian SD, Santos AJ, dkk. Risk factors for cardiovascular disease, metabolic syndrome and sleepiness in truck drivers. *Arq Bras Cardiol.* Desember 2015;105(6):560–5.

20. WHO. Body mass index - BMI. WHO [Internet]. 2018 [dikutip 10 Juli 2018]. Tersedia pada: <http://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi>
21. CDC. Adult BMI - healthy weight. CDC[Internet]. 2017 [dikutip 2 Juli 2018]. Tersedia pada: https://www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/index.html
22. Nuttall FQ. Body mass index. *Nutr Today*. Mei 2015;50(3):117–28.
23. NHLBI. The practical guide: Identification, evaluation, and treatment of overweight and obesity in adults. NIH. 2000.
24. Departemen Kesehatan RI. Pedoman praktis pemantauan status gizi orang dewasa. Depkes RI. 2000.
25. Ali AT, Crowther. Factors predisposing to obesity: A review of the literature. *J Endocrinol Metab Diabetes South Africa*. 2009.
26. Mihardja L, Soetrisno U. Prevalence and determinant factors for overweight and obesity and degenerative diseases among young adults in Indonesia. *J ASEAN Fed Endocr Soc*. 31 Mei 2012;27(1):77–81.
27. CDC. Physical activity for a healthy weight. CDC [Internet]. 2015 [dikutip 2 Juli 2018]. Tersedia pada: https://www.cdc.gov/healthyweight/physical_activity/index.html
28. Institute of Medicine Subcommittee on Military Weight Management. Factors that influence body weight [Internet]. National Academies Press (US); 2004 [dikutip 2 Juli 2018]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK221834/>
29. Chan RS, Woo J. Prevention of overweight and obesity: How effective is the current public health approach. *Int J Environ Res Public Health*. Maret 2010;7(3):765–83.
30. Sarlio-Lahteenkorva S, Lahelma E. The association of body mass index with social and economic disadvantage in women and men. *Int J Epidemiol*. 1 Juni 1999;28(3):445–9.
31. Rhode Island Department of Health. Sugar sweetened beverages [Internet]. [dikutip 2 Juli 2018]. RIDOH. 2015 Tersedia pada: <http://www.health.ri.gov/healthrisks/sugarsweetenedbeverages/>
32. Lobstein H. Reducing consumption of sugar-sweetened beverages to reduce the risk of childhood overweight and obesity. WHO. 2014

[Internet]. [dikutip 2 Juli 2018]. Tersedia pada:
http://www.who.int/elena/bbc/ssbs_childhood_obesity/en/

33. Park S, Xu F, Town M, Blanck HM. Prevalence of sugar-sweetened beverage intake among adults — 23 states and the district of Columbia, 2013. *MMWR Morb Mortal Wkly Rep*. 26 Februari 2016;65(7):169–74.
34. Harris JL, Schwartz MB, LoDolce M, Munsell C, Fleming-Milici F, Elsey J, dkk. Sugary drink fact food advertising to children and teens score. Rud center for food policy and obesity; 2014 [dikutip 11 Mei 2018]. Tersedia pada:
http://www.sugarydrinkfacts.org/resources/sugarydrinkfacts_report.pdf
35. Kregiel D. Health safety of soft drinks: Contents, containers, and microorganisms. *BioMed Res Int* [Internet]. 2015 [dikutip 2 Juli 2018];2015. Tersedia pada:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324883/>
36. Giammattei J, Blix G, Marshak HH, Wollitzer AO, Pettitt DJ. Television watching and soft drink consumption: Associations with obesity in 11- to 13-year-old school children. *Arch Pediatr Adolesc Med*. 1 September 2003;157(9):882–6.
37. Berkoff FG. Foods that harm, foods that heal: The best and worst choices to treat your ailments naturally. New York, NY ; Montreal: The Readers Digest Association; 2013.
38. Luo Y, Zeng XJ, Du MQ, Bedi R. The prevalence of dental erosion in preschool children in China. *J Dent*. Februari 2005;33(2):115–21.
39. Tucker KL, Morita K, Qiao N, Hannan MT, Cupples LA, Kiel DP. Colas, but not other carbonated beverages, are associated with low bone mineral density in older women: The Framingham Osteoporosis Study. 2018.
40. Rapuri PB, Gallagher JC, Kinyamu HK, Ryschon KL. Caffeine intake increases the rate of bone loss in elderly women and interacts with vitamin D receptor genotypes. *Am J Clin Nutr*. 1 November 2001;74(5):694–700.
41. Palmer JR, Boggs DA, Krishnan S, Hu FB, Singer M, Rosenberg L. Sugar-sweetened beverages and incidence of type 2 diabetes mellitus in African American women. *Arch Intern Med*. 28 Juli 2008;168(14):1487–92.
42. Hess J, Rao G, Slavin J. The nutrient density of snacks. *Glob Pediatr Health* [Internet]. 30 Maret 2017 [dikutip 2 Juli 2018];4. Tersedia pada:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5406144/>

43. O'Connor L, Brage S, Griffin SJ, Wareham NJ, Forouhi NG. The cross-sectional association between snacking behaviour and measures of adiposity: the Fenland Study, UK. *Br J Nutr*. 28 Oktober 2015;114(8):1286–93.
44. Chapelot D. The role of snacking in energy balance: A biobehavioral approach. *J Nutr*. 1 Januari 2011;141(1):158–62.
45. Wouters EJ, Larsen JK, Kremers SP, Dagnelie PC, Geenen R. Peer influence on snacking behavior in adolescence. *Appetite*. Agustus 2010;55(1):11–7.
46. Grimm ER, Steinle NI. Genetics of eating behavior: Established and emerging concepts. *Nutr Rev*. Januari 2011;69(1):52–60.
47. Camilleri GM, Méjean C, Kesse-Guyot E, Andreeva VA, Bellisle F, Hercberg S, dkk. The associations between emotional eating and consumption of energy-dense snack foods are modified by sex and depressive symptomatology. *J Nutr*. 1 Agustus 2014;144(8):1264–73.
48. Contento IR. Nutrition education: Linking research, theory, and practice. Sudbury, Massachusetts: Jones and Barlett Publisher; 2007.
49. Shin SY, Lee CG, Song HS, Kim SH, Lee HS, Jung MS, dkk. Cardiovascular disease risk of bus drivers in a city of Korea. *Ann Occup Environ Med*. 11 November 2013;25:34.
50. French SA, Harnack LJ, Toomey TL, Hannan PJ. Association between body weight, physical activity and food choices among metropolitan transit workers. *Int J Behav Nutr Phys Act*. 2 November 2007;4:52.
51. Panggabean D, Sudaryati E, Arintonang Evawany. Gambaran gaya hidup dan pola konsumsi makanan serta status gizi pada supir bus Mini CV. SBI (Sibuluan Indah) dan CV. Flores Trayek Medan-Sibolga tahun 2016. *Dep Gizi Kesehat Masy Fak USU*. 2016.
52. Musbyarini K, Anwar F, Dwiriani CM. Gaya hidup dan status kesehatan sopir bus sumber alam di kabupaten purworejo, Jawa Tengah. *J Gizi Dan Pangan*. 12 Maret 2010;5(1):6.
53. Nurdiannah H, Cahyo K, Indraswari R. Faktor - faktor yang berhubungan dengan perilaku merokok sopir bus AKAP di terminal terboyo kota Semarang. *J Kesehat Masy*. 2017;5:11.

54. Lemke MK, Apostolopoulos Y, Hege A, Wideman L, Sönmez S. Work organization, sleep and metabolic syndrome among long-haul truck drivers. *Occup Med.* Juni 2017;67(4):274–81.
55. Odegaard AO, Choh AC, Czerwinski SA, Towne B, Demerath EW. Sugar-sweetened and diet beverages in relation to visceral adipose tissue. obesity. *Maret* 2012;20(3):689–91.
56. Polikandrioti M, Kotronoulas G, Liveri D. Body mass index, central obesity, and dietary pattern in a group of young adult men. *Health Sci J.* 2009;3(1):10.
57. Karadavut B, Sahin H, Kaner G, Karadavut S. Is beverage consumption associated with increased body weight among adolescents. *Dep Nutr Diet.* 2017;
58. Funtikova AN, Subirana I, Gomez SF, Fitó M, Elosua R, Benítez-Arciniega AA, dkk. Soft drink consumption is positively associated with increased waist circumference and 10-Year incidence of abdominal obesity in Spanish adults. *J Nutr.* 1 Februari 2015;145(2):328–34.
59. Faghieh S, Mohebpour R, Eskandari L. Assessment of the correlation between BMI, waist circumference, and the snacking pattern and dairy consumption among female student residents of Shiraz University dormitories. *Women's Health Bull.* 2014;
60. Akhlaghi M, Kamali M, Dastsouz F, Sadeghi F, Amanat S. Increased waist-to-height ratio may contribute to age-related increase in cardiovascular risk factors. *Int J Prev Med [Internet].* 27 April 2016 [dikutip 6 November 2018];7.Tersedia pada: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4863399/>